

FACSIMILE COVER SHEET

SALIWANCHIK, LLOYD & SALIWANCHIK

A Professional Association
2421 N.W. 41st Street
Suite A-1
Gainesville, FL 32606
Telephone (352) 375-8100
Facsimile (352) 372-5800

TO: Ms. Janet Higgins
Office of Publications

FROM: Glenn P. Ladwig

COMPANY: USPTO

DATE: April 8, 2004

FAX NO.: 703-746-4625

NO. OF PAGES
(INCLUDING COVER SHEET): 5

SUBJECT/MESSAGE:

Re: U.S. Patent Application Docket Nos. USF-T127
Serial No. 09/593,629; Filed June 13, 2000

Dear Ms. Higgins:

As we discussed, attached is a copy of Form PTO-1449 which was submitted to the Patent Office on September 14, 2001 in the above-referenced application.

Sincerely,



Glenn P. Ladwig

The information contained in this facsimile message is intended only for the personal and confidential use of the designated recipients named below. This message may be an attorney-client communication, and as such is privileged and confidential. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error, and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message by mail. Thank you.

If you do not receive all pages or if any transmission is not legible, call the sender at (352) 375-8100.

609

MANUAL OF PATENT EXAMINING PROCEDURE

PTO/SB/08 (2-92)
Sheet 1 of 4

Form-PTO-1449			Docket Number (Optional) 0152.00372		Application Number 09/593,629	
INFORMATION DISCLOSURE CITATION IN AN APPLICATION (Use several sheets if necessary)			Applicant Don F. Cameron, et al			
			Filing Date 06/13/00		Group Art Unit 1633	
U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	5,843,430	12-1-98	Selawry			
	5,958,404	9-28-99	Selawry			
	5,849,285	12-15-98	Selawry			
	5,759,534	6-2-98	Selawry			
	5,725,854	3-10-98	Selawry			
FOREIGN PATENT DOCUMENTS						
	DOCKET NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES NO
OTHER DOCUMENTS (Including Author, Title, Date Pertinent Pages, Etc.)						
	Alderson, D. et al (1987). The Isolation of Purified Human Islets of Langerhans. <i>Transplant Proc.</i> 19:916-917.					
	Alison B. et al (1998). Sertoli cell transplants: their use in the treatment of neurodegenerative disease. <i>Mol. Med. Today</i> , 4:471-477.					
	Bardin, C.W. et al (1988). The Sertoli Cell. In: <i>The Physiology of Reproduction</i> . Knobil, E. and J. Neil (eds). Raven Press, Ltd., New York. Pp 933-974.					
	Barker, C.F. et al (1968). The Role of Afferent Lymphocytes in the Rejection of Skin Homografts. <i>J. Exp. Med.</i> 128:197-221.					
	Becker, J.L. et al (1993). Three-Dimensional Growth and Differentiation of Ovarian Tumor Cell Line in High Aspect Rotating-Wal Vessel: Morphologic and Embryologic Considerations. <i>J. Cellul. Biochem.</i> 51:283-289.					
	Bellgrau, D., et al (1995). A role for CD95 Ligand in Preventing Graft Rejection. <i>Nature</i> , 377:630-632.					
	Borlongan, C.V. et al (1996). Functional recovery in female hemiparkinsonian rats following transplantation of Sertoli cells. <i>Proc. Am. Soc. Neur. Transp.</i>					
	Borlongan, C.V. et al (1997). Intracerebral transplantation of testis-derived Sertoli cells in female rats with 6 hydroxydopamine induced hemiparkinsonian promotes functional recovery. <i>Exp. Neurol.</i> 148:388-392.					
	Born, W. and H. Wekerle (1982). Leydig Cells Nonspecifically Suppress Lymphoproliferation In Vitro: Implications for the Testis as an Immunologically Privileged Site. <i>Am. J. Reprod. Immunol.</i> 2:291-295.					
	Born, W. et al (1981). Selective, Immunologically Nonspecific Adherence of Lymphoid Cells and Myeloid Cells to Leydig Cells. <i>Eur. J. Cell Biol.</i> 25:76-81.					
	Calafiore, R. et al (1990). A Method for the Massive Separation of Highly Purified, Adult Procine Islets of Langerhans. <i>Metabolism</i> , 39:175-181.					
	Cameron, D.F. et al (1990). Successful Islet/Abdominal Testis Transplantation Does Not Require Leydig Cells. <i>Transplantation</i> , 50: 649-653.					
	Cameron, D.F. et al (1990). Sustained Hyperglycemia Results in Testicular Dysfunction and Reduced Fertility Potential in BBWOR Diabetic Rats. <i>J. Physiol.</i> , 259 (Endocrinol. Metab., 22): E881-E889.					
	Cameron, D.F. et al (1991). Hormonal Regulation of Spermatid Binding to Sertoli cells In Vitro. <i>J. Cell Sci.</i> , 100:623-633.					
	Cameron, D.F. et al (1993). Testosterone Stimulates Spermatid Binding to Competent Sertoli cells In Vitro. <i>Endocrinol. J.</i> 1:61-65.					

	Cameron, D.F. et al (1996). Enhanced post-thaw viability of cryopreserved rat fetal brain cells by Sertoli cells by Sertoli cell secretory products. <i>Proc. Am. Soc. Neural. Transpl.</i>
	Cameron, D.F. et al (1997). Post-thaw viability and functionality of cryopreserved rat fetal brain cells co-cultured with Sertoli cells. <i>Cell Transplant.</i> 6:185-189.
	Cameron, D.F. et al (1998). Development of Sertoli cell binding competence in the peripubertal rat. <i>J. Andrology</i> , 19:573-579.
	Cantrell, D.A. et al (1984). The Interleukin-2 T-Cell system: A New Cell Growth Model. <i>Science</i> , 224:1312-1316.
	Chervonsky, A.V. et al (1997). The role of Fas in autoimmune diabetes. <i>Cell</i> , 89:17.
	DeCesars, A. et al (1992). Inhibition of Lymphocyte Activation by Sertoli Cell Immunosuppressive Factor(s). <i>Immunologia et Immunofarmacologia</i> , 12(2):86.
	Edgington, S.M. (1992). New Horizons for Stem-Cell Bioreactors. <i>Bio/Technology</i> 10:1099-1106.
	Evans M.G. et al (1990). Reversal of Diabetes in Dogs by Transplantation of Pure cryopreserved Islets. <i>Transplantation</i> , 50:202-206.
	Fawcett, D.W. et al (1973). Comparative Observation on Intertubular Lymphatics and the Organization of the Interstitial Tissue of the Mammalian Testis. <i>Biol. Reprod.</i> 9:500-512.
	Gainer, A.L. et al (1998). Improved survival of biologically transfected mouse islet allografts expressing CTLA4-Ig or soluble Fas ligand. <i>Transplantation</i> , 66:194-9.
	Gondos, B. et al (1993). Postnatal and Pubertal Development. In: <i>The Sertoli Cell</i> , 1993. Russell LD, Griswold MD (eds). Cache River Press, Clearwater, Florida. pp 493-508.
	Goodwin, T.J. et al (1992). Morphologic Differentiation of Colon Carcinoma Cell Lines HT-29 and HT-29KM in Rotating Wall Vessels. <i>In Vitro Cell. Dev. Biol.</i> 28A:47-60.
	Goodwin, T.J. et al (1993). Reduced Shear Stress: A Major Component in the Ability of Mammalian Tissues to Form Three-Dimensional Assemblies in Stimulated Microgravity. <i>J. Cellul. Biochem.</i> 51:301-311.
	Goodwin, T.J. et al (1993). Rotating-Wall Vessel Coculture of Small Intestine as a Prelude to Tissue Modeling: Aspects of Stimulated Microgravity. <i>Proceed Experiment. Biol. Med.</i> 202:181-192.
	Gray, D.W.R. et al (1984). A Method for the Isolation of Islets of Langerhans from the Human Pancreas. <i>Diabetes</i> , 33:1055-1061.
	Green, C.J. et al (1978). Extensive Prolongation of Rabbit Kidney Allograft Survival after Short-Term Cyclosporin-A Treatment. <i>Lancet</i> , 1:1182-1183.
	Griswold MD. Actions of FSH on mammalian Sertoli cells. In: <i>The Sertoli Cell</i> , 1993. Russell LD, Griswold MD (eds). Cache River Press, Clearwater, Florida. pp 493-508.
	Hadley, M. et al (1985). Extracellular matrix regulates Sertoli cell differentiation, testis cord formation and germ cell development in vitro. <i>J. Cell Biol.</i> 101:1511-22.
	Head, J. et al (1983). Immune Privilege in the Testis. I. Basic Parameters of Allograft Survival. <i>Transplantation</i> , 36:423-431.
	Head, J., et al (1983). Reconsideration of the Lymphatic Drainage of the Rat Testis. <i>Transplantation</i> , 35:91-95.
	Hodger, M.P. (1989). The Testis as an "Immunologically Suppressed" Tissue? <i>Reprod. Fertil. Dev.</i> 1:75-81.
	Hess, A.D. (1985). Effect of Interleukin 2 on the Immunosuppressive Action of Cyclosporine. <i>Transplantation</i> , 39:62-68.
	Hornan, W.P. et al. (1980). Studies on the Immunosuppressive Properties of cyclosporin A in Rats Receiving renal Allografts. <i>Transplantation</i> , 29:361-366.
	Horaguchi, A. and R.C. Merrell (1981). Preparation of Viable Islet Cells from Dogs by a New Method. <i>Diabetes</i> , 30:455-458.
	Kang, S-M. et al (1997). Fas ligand expression in islets of Langerhans does not confer immune privilege and instead targets them for rapid destruction. <i>Nature Med.</i> 3:738.
	Kaufman, D.B. et al (1990). Functional Outcome as Influenced by Islet Number and Implantation Site. <i>Transplantation</i> , 50:385-391.
	Kneteman, N.M. et al (1986). Isolation and Cryopreservation of Human Pancreatic Islets. <i>Transplant. Proc.</i> 18:182-185.
	Kneteman, N.M. et al (1990). Prolonged Function of Canine Fragments Autotransplanted to the Spleen by Venous Reflux. <i>Transplantation</i> , 49:679-681.
	Kuhn F., et al (1985). Morphological Investigations in Human Islets of Langerhans Isolated by the Velocity Technique. <i>Biomed. Biochem. Acta</i> , 44:149-153.
	Lau, H. et al (1996). Prevention of islet allograft rejection with engineered myoblasts expressing FasL in mice. <i>Science</i> , 273:109.
	Leapman, S.B., et al (1981). Differential Effects of Cyclosporine A on Lymphocyte Subpopulations. <i>Transplant Proc.</i> 13:405-409.
	London, N.J.M. et al (1990). A Simple Method for the Release of Islets by Controlled Digestion of the Human Pancreas. <i>Transplantation</i> 49: 1109-1113.
	Martin, D.C. (1982). Malignancy in the Cryptorchid Testis. <i>Urol. Clinics N. Amer.</i> 9:371-376.
	Muruve, D. et al (1997). Adenovirus-mediated expression of Fas ligand induces hepatic apoptosis after systemic administration and apoptosis of ex vivo-infected pancreatic islet allografts and isografts. <i>Human Gene Ther.</i> 8:955.

	Naji, A. et al (1981). Prevention of Diabetes in Rats by Bone Marrow Transplantation. <i>Ann. Surg.</i> 194:328-338.
	Ogasawara, J. et al (1993). Lethal effect of the anti-Fas antibody in mice. <i>Nature</i> . 364:806.
	Othberg, A.I. et al (1998). Preparation of cell suspension for co-transplantation: methodological considerations. <i>Neurosci Lett.</i> 247:111-114.
	Othberg, A.I. et al (1998). Trophic effect of porcine Sertoli cells on rat and human ventral mesencephalic cells and hNT neurons in vitro. <i>Cell Transplant.</i> 7:157-164.
	Prowse, S.J. et al (1986). Islet Allografts are Destroyed by Disease Occurrence in the Spontaneously Diabetic BB Rat. <i>Diabetes</i> . 35:110-118.
	Ricordi, C. et al (1989). Automated Islet Isolation from Human Pancreas. <i>Diabetes</i> . 38 (Suppl. 1):140-142.
	Ricordi, C., et al (1990). Isolation of the Elusive Pig Islet. <i>Surgery</i> . 107:688-694.
	Sanberg, P.R. et al (1966). New horizons in xenograft cross-species transplantation for neurodegenerative disease. <i>Proc. Internat. Behav. Neurosci. Soc.</i>
	Sanberg, P.R. et al (1995). The effects of Sertoli cell co-transplantation with chromaffin cells in the rat model of Parkinson's disease. <i>Nature's Letters</i> (In review)
	Sanberg, P.R. et al (1996). Testis-derived Sertoli cells survive and provide localized immunoprotection for xenografts in rat brain. <i>Nature Biotechnol.</i> 14:1692-5.
	Sanberg, P.R. et al (1996). Transplantation of testis-derived Sertoli cells into the Mammalian brain. <i>Third Internat. Cong. Cell Transpl. Soc.</i>
	Sanberg, P.R. et al (1997). Testis-derived cultured Sertoli cell as a natural FasL secreting cell for immunosuppressive cellular therapy. <i>Cell Transplant.</i> 191-193.
	Sanberg, P.R. et al (1997). Testis-derived Sertoli cells have a trophic effect on dopamine neurons and alleviate hemiparkinsonian in rats. <i>Nature Medicine</i> . 3:1129-1132.
	Scharp, D.W. (1988). The Elusive Human Islet: Variables Involved in its Effective Recovery. In: VanSchilgaard R., Hardy M.A. eds. <i>Transplantation of the Endocrine Pancreas in Diabetes Mellitus</i> . Amsterdam Elsevier, page 97.
	Scharp, D.W. et al (1987). Low-Temperature Culture of Human Islets Isolated by the Distention Method and Purified with Ficoll or Percoll Gradients. <i>Surgery</i> . 102:869-879.
	Schwarz, R.P. et al (1992). Cell Culture for Three-Dimensional Modeling in Rotating-Wall Vessels: An Application of Stimulated Microgravity. <i>J. Tiss. Cult. Meth.</i> 14:51-58.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> 2:123-129.
	Selawry, H. et al (1993). Sertoli Cell-Enriched Fractions in Successful Islet Cell Transplantation. <i>Cell Transplantation</i> , 2:123-129.
	Selawry, H., et al (1986). Effect of Cyclosporine on Islet Xenograft Survival in the BB/W Rat. <i>Transplantation</i> . 42:568-575.
	Selawry, H., et al (1987). Extended Survival of the MHC-Compatible Islet Isografts in the Spontaneously Diabetic BB/W Rat. <i>Diabetes</i> . 36:1061-1070.
	Selawry, H., et al. Production of a Factor, or Factors, Suppressing IL-2 Production and T cell Proliferation by Sertoli Cell-Enriched preparations. <i>Transplantation</i> . 52:846-850.
	Selawry, H.P. et al (1989). Abdominal, Intratesticular Islet-Xenograft Survival in Rat. <i>Diabetes</i> . 38:220-223.
	Selawry, H.P. et al (1996). Sertoli Cell-induced Effects on Functional and Structural Characteristics of Isolated Neonatal Porcine Islets. <i>Cell Transplantation</i> . 5:517-24.
	Selawry, H.R. et al (1985). Intratesticular Islet Allografts in the Spontaneously Diabetic BB/W Rat. <i>Diabetes</i> . 34:1019-1023.
	Skinner, M.K. (1993). Secretion of Growth Factors and Other Regulatory Factors. In: <i>The Sertoli Cell</i> , 1993. Russell LD, Griswold MD (eds). Cache River Press, Clearwater, Florida. pp 493-508.
	Tanaka, M. et al (1997). Lethal effect of recombinant human Fas ligand in mice pretreated with <i>Propionibacterium acnes</i> . <i>J. Immunol.</i> 158:2303.
	Thompson, S.C. et al (1990). Preparation and Assessment of Tissue for Transplantation and its In Vivo Development in Athymic (Nude Mice). <i>Transplantation</i> . 49:571-581.
	Warnock, G.L. et al (1988). Studies of the Isolation and Viability of Human Islets of Langerhans. <i>Transplantation</i> . 45:957-963.
	Warnock, G.L. et al (1989). Viable Purified Islets from Collagenase-Perfused Human Pancreas. <i>Diabetes</i> . 38 (Suppl.1):136-139.
	Weringer, E.J. et al (1985). Immune Attack on Pancreatic Islet Transplants in the Spontaneously Diabetic, Biobreeding/Worcester (BB/W) Rat is not MHC Restricted. <i>J. Immunol.</i> 134:2383-2391.
	Whitmore, W.F. et al (1978). Intratesticular Grafts: The Testis as an Exceptionally Immunologically Privileged Site. <i>Trans. Am. Assoc. Gen-Urinary Surg.</i> 70:76-80.
	Wickelgren, L (1996). Muscling Transplants into Mice. <i>Science</i> . 273:33.
	Williams, H.J.H., P. Barkham, and N.G.P. Slater (1978). Testicular Relapse in Acute Leukemia. <i>Lancet</i> . 2:1152-1156.

	Willing, A.E. et al (1998). Sertoli transplants to treat neurodegenerative disease. <i>Mol. Med. Today</i> . 4:471-477.
	Willing, A.E. et al (1999). Sertoli cells decrease microglia response and increase engraftment of human hNT neurons in the hemiparkinsonian rat striatum. <i>Brain Res. Bull.</i> , 48:441-444.
	Willing, A.E. et al (1999). Sertoli cells enhance the survival of co-transplanted dopamine neurons. <i>Brain Research</i> , 822:246-250.
	Yagita, H. et al (1996). CD95 ligand in graft rejection. <i>Nature</i> . 379:682.
EXAMINER	DATE CONSIDERED
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.	

PTO/SB/08 (2-92)
COMMERCE

Patent and Trademark Office; U.S. DEPARTMENT OF